

**810****Invoice****Functional Group=IN**

This Draft Standard for Trial Use contains the format and establishes the data contents of the Invoice Transaction Set (810) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to provide for customary and established business and industry practice relative to the billing for goods and services provided.

**Heading:**

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	ST	Transaction Set Header	M	1			Must use
020	BIG	Beginning Segment for Invoice	M	1			Must use
050	REF	Reference Identification	O	12			Used
060	PER	Administrative Communications Contact	O	3			Used
<b>LOOP ID - N1</b>					<b>200</b>		
070	N1	Name	O	1			Used
090	N3	Address Information	O	2			Used
100	N4	Geographic Location	O	1			Used
130	ITD	Terms of Sale/Deferred Terms of Sale	O	>1			Used
140	DTM	Date/Time Reference	O	10			Used
150	FOB	F.O.B. Related Instructions	O	1			Used

**Detail:**

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
<b>LOOP ID - IT1</b>					<b>200000</b>		
010	IT1	Baseline Item Data (Invoice)	O	1			Used
<b>LOOP ID - PID</b>					<b>1000</b>		
060	PID	Product/Item Description	O	1			Used

**Summary:**

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	TDS	Total Monetary Value Summary	M	1		N3/010	Must use
<b>LOOP ID - SAC</b>					<b>25</b>		
040	SAC	Service, Promotion, Allowance, or Charge Information	O	1			Used
070	CTT	Transaction Totals	O	1		N3/070	Used
080	SE	Transaction Set Trailer	M	1			Must use

**Notes:**

- 3/010 The AMT02, AMT03, and AMT04 can be sent is requested.
- 3/070 Number of line items (CTT01) is the accumulation of the number of IT1 segments. If used, hash total (CTT02) is the sum of the value of quantities invoiced (IT102) for each IT1 segment.

# ST Transaction Set Header

Pos: 010	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

**User Option (Usage):** Must use

To indicate the start of a transaction set and to assign a control number

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ST01	143	<b>Transaction Set Identifier Code</b>	M	ID	3/3	Must use
		<b>Description:</b> Code uniquely identifying a Transaction Set				
		<u>Code</u>		<u>Name</u>		
		810		Invoice		
ST02	329	<b>Transaction Set Control Number</b>	M	AN	4/9	Must use
		<b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set				

## Semantics:

1. The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

# BIG Beginning Segment for Invoice

Pos: 020	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 5

**User Option (Usage):** Must use

To indicate the beginning of an invoice transaction set and transmit identifying numbers and dates

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
BIG01	373	<b>Date</b>	M	DT	8/8	Must use
		<b>Description:</b> Date expressed as CCYYMMDD				
BIG02	76	<b>Invoice Number</b>	M	AN	1/22	Must use
		<b>Description:</b> Identifying number assigned by issuer				
BIG03	373	<b>Date</b>	O	DT	8/8	Used
		<b>Description:</b> Date expressed as CCYYMMDD				
BIG04	324	<b>Purchase Order Number</b>	O	AN	1/22	Used
		<b>Description:</b> Identifying number for Purchase Order assigned by the orderer/purchaser				
BIG07	640	<b>Transaction Type Code</b>	O	ID	2/2	Used
		<b>Description:</b> Code specifying the type of transaction				
		<b><u>Code</u></b>		<b><u>Name</u></b>		
		DI		Debit Invoice		
		DO		Drop Shipment Invoice		
		PR		Product (or Service)		

## Semantics:

1. BIG01 is the invoice issue date.
2. BIG03 is the date assigned by the purchaser to purchase order.
3. BIG10 indicates the consolidated invoice number. When BIG07 contains code CI, BIG10 is not used.

## Comments:

1. BIG07 is used only to further define the type of invoice when needed.

# REF Reference Identification

Pos: 050	Max: 12
Heading - Optional	
Loop: N/A	Elements: 3

**User Option (Usage):** Used

To specify identifying information

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
REF01	128	<b>Reference Identification Qualifier</b>	M	ID	2/3	Must use
		<b>Description:</b> Code qualifying the Reference Identification				
REF02	127	<b>Reference Identification</b>	X	AN	1/30	Used
		<b>Description:</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier				
REF03	352	<b>Description</b>	X	AN	1/80	Used
		<b>Description:</b> A free-form description to clarify the related data elements and their content				

## Syntax Rules:

1. R0203 - At least one of REF02 or REF03 is required.

## Semantics:

1. REF04 contains data relating to the value cited in REF02.

# PER Administrative Communications Contact

Pos: 060	Max: 3
Heading - Optional	
Loop: N/A	Elements: 4

**User Option (Usage):** Used

To identify a person or office to whom administrative communications should be directed

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PER01	366	<b>Contact Function Code</b>	M	ID	2/2	Must use
		<b>Description:</b> Code identifying the major duty or responsibility of the person or group named				
PER02	93	<b>Name</b>	O	AN	1/60	Used
		<b>Description:</b> Free-form name				
PER03	365	<b>Communication Number Qualifier</b>	X	ID	2/2	Used
		<b>Description:</b> Code identifying the type of communication number				
PER04	364	<b>Communication Number</b>	X	AN	1/80	Used
		<b>Description:</b> Complete communications number including country or area code when applicable				

## Syntax Rules:

1. P0304 - If either PER03 or PER04 is present, then the other is required.
2. P0506 - If either PER05 or PER06 is present, then the other is required.
3. P0708 - If either PER07 or PER08 is present, then the other is required.

# Loop N1

Pos: 070	Repeat: 200
Optional	
Loop: N1	Elements: N/A

**User Option (Usage):** Used

To identify a party by type of organization, name, and code

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
070	N1	Name	O	1		Used
090	N3	Address Information	O	2		Used
100	N4	Geographic Location	O	1		Used

**N1****Name**

<b>Pos: 070</b>	<b>Max: 1</b>
<b>Heading - Optional</b>	
<b>Loop: N1</b>	<b>Elements: 4</b>

**User Option (Usage):** Used

To identify a party by type of organization, name, and code

**Element Summary:**

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N101	98	<b>Entity Identifier Code</b>	M	ID	2/3	Must use
		<b>Description:</b> Code identifying an organizational entity, a physical location, property or an individual				
		<b>Code</b>		<b>Name</b>		
		BT		Bill-to-Party		
		BY		Buying Party (Purchaser)		
		RE		Party to receive commercial invoice remittance		
		ST		Ship To		
N102	93	<b>Name</b>	X	AN	1/60	Used
		<b>Description:</b> Free-form name				
N103	66	<b>Identification Code Qualifier</b>	X	ID	1/2	Used
		<b>Description:</b> Code designating the system/method of code structure used for Identification Code (67)				
		<b>Code</b>		<b>Name</b>		
		1		D-U-N-S Number, Dun & Bradstreet		
		9		D-U-N-S+4, D-U-N-S Number with Four Character Suffix		
		11		Drug Enforcement Administration (DEA)		
		91		Assigned by Seller or Seller's Agent		
		92		Assigned by Buyer or Buyer's Agent		
		ZZ		Mutually Defined		
N104	67	<b>Identification Code</b>	X	AN	2/80	Used
		<b>Description:</b> Code identifying a party or other code				

**Syntax Rules:**

1. R0203 - At least one of N102 or N103 is required.
2. P0304 - If either N103 or N104 is present, then the other is required.

**Comments:**

1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
2. N105 and N106 further define the type of entity in N101.

# N3 Address Information

Pos: 090	Max: 2
Heading - Optional	
Loop: N1	Elements: 2

**User Option (Usage):** Used

To specify the location of the named party

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N301	166	<b>Address Information</b> <b>Description:</b> Address information	M	AN	1/55	Must use
N302	166	<b>Address Information</b> <b>Description:</b> Address information	O	AN	1/55	Used



# N4 Geographic Location

Pos: 100	Max: 1
Heading - Optional	
Loop: N1	Elements: 3

**User Option (Usage):** Used

To specify the geographic place of the named party

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N401	19	<b>City Name</b>	O	AN	2/30	Used
		<b>Description:</b> Free-form text for city name				
N402	156	<b>State or Province Code</b>	O	ID	2/2	Used
		<b>Description:</b> Code (Standard State/Province) as defined by appropriate government agency				
N403	116	<b>Postal Code</b>	O	ID	3/15	Used
		<b>Description:</b> Code defining international postal zone code excluding punctuation and blanks (zip code for United States)				

## Syntax Rules:

1. C0605 - If N406 is present, then N405 is required.

## Comments:

1. A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.
2. N402 is required only if city name (N401) is in the U.S. or Canada.

**ITD**

# Terms of Sale/Deferred Terms of Sale

Pos: 130	Max: >1
Heading - Optional	
Loop: N/A	Elements: 8

**User Option (Usage):** Used

To specify terms of sale

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ITD01	336	<b>Terms Type Code</b>	O	ID	2/2	Used
		<b>Description:</b> Code identifying type of payment terms				
		<u>Code</u>		<u>Name</u>		
		01		Basic		
		02		End of Month (EOM)		
		07		Extended		
ITD02	333	<b>Terms Basis Date Code</b>	O	ID	1/2	Used
		<b>Description:</b> Code identifying the beginning of the terms period				
		<u>Code</u>		<u>Name</u>		
		3		Invoice Date		
ITD03	338	<b>Terms Discount Percent</b>	O	R	1/6	Used
		<b>Description:</b> Terms discount percentage, expressed as a percent, available to the purchaser if an invoice is paid on or before the Terms Discount Due Date				
ITD04	370	<b>Terms Discount Due Date</b>	X	DT	8/8	Used
		<b>Description:</b> Date payment is due if discount is to be earned expressed in format CCYYMMDD				
ITD05	351	<b>Terms Discount Days Due</b>	X	N0	1/3	Used
		<b>Description:</b> Number of days in the terms discount period by which payment is due if terms discount is earned				
ITD06	446	<b>Terms Net Due Date</b>	O	DT	8/8	Used
		<b>Description:</b> Date when total invoice amount becomes due expressed in format CCYYMMDD				
ITD07	386	<b>Terms Net Days</b>	O	N0	1/3	Used
		<b>Description:</b> Number of days until total invoice amount is due (discount not applicable)				
ITD08	362	<b>Terms Discount Amount</b>	O	N2	1/10	Used
		<b>Description:</b> Total amount of terms discount				

## Syntax Rules:

1. L03040513 - If ITD03 is present, then at least one of ITD04, ITD05 or ITD13 is required.
2. L08040513 - If ITD08 is present, then at least one of ITD04, ITD05 or ITD13 is required.
3. L091011 - If ITD09 is present, then at least one of ITD10 or ITD11 is required.

## Semantics:

1. ITD15 is the percentage applied to a base amount used to determine a late payment charge.

**Comments:**

1. If the code in ITD01 is "04", then ITD07 or ITD09 is required and either ITD10 or ITD11 is required; if the code in ITD01 is "05", then ITD06 or ITD07 is required.

# DTM Date/Time Reference

Pos: 140	Max: 10
Heading - Optional	
Loop: N/A	Elements: 2

**User Option (Usage):** Used

To specify pertinent dates and times

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM01	374	<b>Date/Time Qualifier</b>	M	ID	3/3	Must use
		<b>Description:</b> Code specifying type of date or time, or both date and time				
		<u>Code</u>		<u>Name</u>		
		011		Shipped		
DTM02	373	<b>Date</b>	X	DT	8/8	Used
		<b>Description:</b> Date expressed as CCYYMMDD				

## Syntax Rules:

1. R020305 - At least one of DTM02, DTM03 or DTM05 is required.
2. C0403 - If DTM04 is present, then DTM03 is required.
3. P0506 - If either DTM05 or DTM06 is present, then the other is required.

# FOB F.O.B. Related Instructions

Pos: 150	Max: 1
Heading - Optional	
Loop: N/A	Elements: 1

**User Option (Usage):** Used

To specify transportation instructions relating to shipment

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
FOB01	146	<b>Shipment Method of Payment</b>	M	ID	2/2	Must use

**Description:** Code identifying payment terms for transportation charges

<u>Code</u>	<u>Name</u>
CC	Collect
FO	FOB Port of Call
PP	Prepaid (by Seller)

## Syntax Rules:

1. C0302 - If FOB03 is present, then FOB02 is required.
2. C0405 - If FOB04 is present, then FOB05 is required.
3. C0706 - If FOB07 is present, then FOB06 is required.
4. C0809 - If FOB08 is present, then FOB09 is required.

## Semantics:

1. FOB01 indicates which party will pay the carrier.
2. FOB02 is the code specifying transportation responsibility location.
3. FOB06 is the code specifying the title passage location.
4. FOB08 is the code specifying the point at which the risk of loss transfers. This may be different than the location specified in FOB02/FOB03 and FOB06/FOB07.

# Loop IT1

Pos: 010	Repeat: 200000
Optional	
Loop: IT1	Elements: N/A

**User Option (Usage):** Used

To specify the basic and most frequently used line item data for the invoice and related transactions

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
010	IT1	Baseline Item Data (Invoice)	O	1		Used
060		Loop PID	O		1000	Used

**IT1****Baseline Item Data (Invoice)**

Pos: 010	Max: 1
Detail - Optional	
Loop: IT1	Elements: 9

**User Option (Usage):** Used

To specify the basic and most frequently used line item data for the invoice and related transactions

**Element Summary:**

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
IT101	350	<b>Assigned Identification</b>	O	AN	1/20	Used
		<b>Description:</b> Alphanumeric characters assigned for differentiation within a transaction set				
IT102	358	<b>Quantity Invoiced</b>	X	R	1/10	Used
		<b>Description:</b> Number of units invoiced (supplier units)				
IT103	355	<b>Unit or Basis for Measurement Code</b>	X	ID	2/2	Used
		<b>Description:</b> Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken				
		<u>Code</u>		<u>Name</u>		
		CA		Case		
		EA		Each		
IT104	212	<b>Unit Price</b>	X	R	1/17	Used
		<b>Description:</b> Price per unit of product, service, commodity, etc.				
IT105	639	<b>Basis of Unit Price Code</b>	O	ID	2/2	Used
		<b>Description:</b> Code identifying the type of unit price for an item				
		<u>Code</u>		<u>Name</u>		
		PE		Price per Each		
IT106	235	<b>Product/Service ID Qualifier</b>	X	ID	2/2	Used
		<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)				
		<u>Code</u>		<u>Name</u>		
		CB		Buyer's Catalog Number		
		IN		Buyer's Item Number		
		N4		National Drug Code in 5-4-2 Format		
		ND		National Drug Code (NDC)		
		UP		U.P.C. Consumer Package Code (1-5-5-1)		
IT107	234	<b>Product/Service ID</b>	X	AN	1/48	Used
		<b>Description:</b> Identifying number for a product or service				
IT108	235	<b>Product/Service ID Qualifier</b>	X	ID	2/2	Used
		<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)				
		<u>Code</u>		<u>Name</u>		
		MG		Manufacturer's Part Number		
		VA		Vendor's Style Number		
		VC		Vendor's (Seller's) Catalog Number		

		VI	Vary Item Product Number				
		VN	Vendor's (Seller's) Item Number				
		VP	Vendor's (Seller's) Part Number				
IT109	234	<b>Product/Service ID</b>		X	AN	1/48	Used
		<b>Description:</b> Identifying number for a product or service					

### Syntax Rules:

1. P020304 - If either IT102, IT103 or IT104 are present, then the others are required.
2. P0607 - If either IT106 or IT107 is present, then the other is required.
3. P0809 - If either IT108 or IT109 is present, then the other is required.
4. P1011 - If either IT110 or IT111 is present, then the other is required.
5. P1213 - If either IT112 or IT113 is present, then the other is required.
6. P1415 - If either IT114 or IT115 is present, then the other is required.
7. P1617 - If either IT116 or IT117 is present, then the other is required.
8. P1819 - If either IT118 or IT119 is present, then the other is required.
9. P2021 - If either IT120 or IT121 is present, then the other is required.
10. P2223 - If either IT122 or IT123 is present, then the other is required.
11. P2425 - If either IT124 or IT125 is present, then the other is required.

### Semantics:

1. IT101 is the purchase order line item identification.

### Comments:

1. Element 235/234 combinations should be interpreted to include products and/or services. See the Data Dictionary for a complete list of IDs.
2. IT106 through IT125 provide for ten different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.



# Loop PID

Pos: 060	Repeat: 1000
Optional	
Loop: PID	Elements: N/A

**User Option (Usage):** Used

To describe a product or process in coded or free-form format

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
060	PID	Product/Item Description	O	1		Used

# PID Product/Item Description

Pos: 060	Max: 1
Detail - Optional	
Loop: PID	Elements: 2

**User Option (Usage):** Used

To describe a product or process in coded or free-form format

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PID01	349	<b>Item Description Type</b>	M	ID	1/1	Must use
		<b>Description:</b> Code indicating the format of a description				
		<u>Code</u>		<u>Name</u>		
		F		Free-form		
PID05	352	<b>Description</b>	X	AN	1/80	Used
		<b>Description:</b> A free-form description to clarify the related data elements and their content				

## Syntax Rules:

1. C0403 - If PID04 is present, then PID03 is required.
2. R0405 - At least one of PID04 or PID05 is required.
3. C0703 - If PID07 is present, then PID03 is required.
4. C0804 - If PID08 is present, then PID04 is required.
5. C0905 - If PID09 is present, then PID05 is required.

## Semantics:

1. Use PID03 to indicate the organization that publishes the code list being referred to.
2. PID04 should be used for industry-specific product description codes.
3. PID08 describes the physical characteristics of the product identified in PID04. A "Y" indicates that the specified attribute applies to this item; an "N" indicates it does not apply. Any other value is indeterminate.
4. PID09 is used to identify the language being used in PID05.

## Comments:

1. If PID01 equals "F", then PID05 is used. If PID01 equals "S", then PID04 is used. If PID01 equals "X", then both PID04 and PID05 are used.
2. Use PID06 when necessary to refer to the product surface or layer being described in the segment.
3. PID07 specifies the individual code list of the agency specified in PID03.

# TDS Total Monetary Value Summary

Pos: 010	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 1

**User Option (Usage):** Must use

To specify the total invoice discounts and amounts

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
TDS01	610	<b>Amount</b>	M	N2	1/15	Must use

**Description:** Monetary amount

## Semantics:

1. TDS01 is the total amount of invoice (including charges, less allowances) before terms discount (if discount is applicable).
2. TDS02 indicates the amount upon which the terms discount amount is calculated.
3. TDS03 is the amount of invoice due if paid by terms discount due date (total invoice or installment amount less cash discount).
4. TDS04 indicates the total amount of terms discount.

## Comments:

1. TDS02 is required if the dollar value subject to discount is not equal to the dollar value of TDS01.

# Loop SAC

Pos: 040	Repeat: 25
Optional	
Loop: SAC Elements: N/A	

**User Option (Usage):** Used

To request or identify a service, promotion, allowance, or charge; to specify the amount or percentage for the service, promotion, allowance, or charge

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
040	SAC	Service, Promotion, Allowance, or Charge Information	O	1		Used

# SAC Service, Promotion, Allowance, or Charge Information

Pos: 040	Max: 1
Summary - Optional	
Loop: SAC	Elements: 4

**User Option (Usage):** Used

To request or identify a service, promotion, allowance, or charge; to specify the amount or percentage for the service, promotion, allowance, or charge

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SAC01	248	<b>Allowance or Charge Indicator</b>	M	ID	1/1	Must use
		<b>Description:</b> Code which indicates an allowance or charge for the service specified				
		<u>Code</u>		<u>Name</u>		
		A		Allowance		
		C		Charge		
SAC02	1300	<b>Service, Promotion, Allowance, or Charge Code</b>	X	ID	4/4	Used
		<b>Description:</b> Code identifying the service, promotion, allowance, or charge				
		<u>Code</u>		<u>Name</u>		
		D240		Freight		
SAC05	610	<b>Amount</b>	O	N2	1/15	Used
		<b>Description:</b> Monetary amount				
SAC12	331	<b>Allowance or Charge Method of Handling Code</b>	O	ID	2/2	Used
		<b>Description:</b> Code indicating method of handling for an allowance or charge				
		<u>Code</u>		<u>Name</u>		
		02		Off Invoice		
		06		Charge to be Paid by Customer		

## Syntax Rules:

1. R0203 - At least one of SAC02 or SAC03 is required.
2. P0304 - If either SAC03 or SAC04 is present, then the other is required.
3. P0607 - If either SAC06 or SAC07 is present, then the other is required.
4. P0910 - If either SAC09 or SAC10 is present, then the other is required.
5. C1110 - If SAC11 is present, then SAC10 is required.
6. L130204 - If SAC13 is present, then at least one of SAC02 or SAC04 is required.
7. C1413 - If SAC14 is present, then SAC13 is required.
8. C1615 - If SAC16 is present, then SAC15 is required.

## Semantics:

1. If SAC01 is "A" or "C", then at least one of SAC05, SAC07, or SAC08 is required.

2. SAC05 is the total amount for the service, promotion, allowance, or charge.
3. If SAC05 is present with SAC07 or SAC08, then SAC05 takes precedence.
4. SAC08 is the allowance or charge rate per unit.
5. SAC10 and SAC11 is the quantity basis when the allowance or charge quantity is different from the purchase order or invoice quantity.
6. SAC10 and SAC11 used together indicate a quantity range, which could be a dollar amount, that is applicable to service, promotion, allowance, or charge.
7. SAC13 is used in conjunction with SAC02 or SAC04 to provide a specific reference number as identified by the code used.
8. SAC14 is used in conjunction with SAC13 to identify an option when there is more than one option of the promotion.
9. SAC16 is used to identify the language being used in SAC15.

**Comments:**

1. SAC04 may be used to uniquely identify the service, promotion, allowance, or charge. In addition, it may be used in conjunction to further the code in SAC02.
2. In some business applications, it is necessary to advise the trading partner of the actual dollar amount that a particular allowance, charge, or promotion was based on to reduce ambiguity. This amount is commonly referred to as "Dollar Basis Amount". It is represented in the SAC segment in SAC10 using the qualifier "DO" - Dollars in SAC09.

# CTT Transaction Totals

Pos: 070	Max: 1
Summary - Optional	
Loop: N/A	Elements: 1

**User Option (Usage):** Used

To transmit a hash total for a specific element in the transaction set

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CTT01	354	Number of Line Items	M	NO	1/6	Must use

**Description:** Total number of line items in the transaction set

## Syntax Rules:

1. P0304 - If either CTT03 or CTT04 is present, then the other is required.
2. P0506 - If either CTT05 or CTT06 is present, then the other is required.

## Comments:

1. This segment is intended to provide hash totals to validate transaction completeness and correctness.

# SE Transaction Set Trailer

Pos: 080	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 2

**User Option (Usage):** Must use

To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SE01	96	<b>Number of Included Segments</b>	M	NO	1/10	Must use
		<b>Description:</b> Total number of segments included in a transaction set including ST and SE segments				
SE02	329	<b>Transaction Set Control Number</b>	M	AN	4/9	Must use
		<b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set				

## Comments:

1. SE is the last segment of each transaction set.